## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



SEMI-ANNUAL TRADE-LIST

# Glenwood Nurseries



SPRING, 1902

# The Wm. H. Moon Co.


MORRISVILLE

BUCKS COUNTY, PENNSYLVANIA


TELEGRAPH OFFICE AND LONG DISTANCE TELEPHONE, No. 419
TRENTON, NEW JERSEY

#### PHILADELPHIA OFFICE

702 Stephen Girard Building, 21 South Twelfth Street



ARBORVITÆ.



## Notice to Purchasers

We invite the attention of Nurserymen, Florists and Dealers to our Wholesale Trade-List for the Spring of 1902. These prices are for the Trade only, and supersede all previous quotations.

**TERMS.**—Cash with order, or satisfactory references from those with whom we have not had previous business dealings.

**REMITTANCES.**—Remittances can be made by draft, registered letter or post office money order, or we will forward by express, with bill to be paid, with cost of collection, on delivery.

LOCATION.— The Glenwood Nurseries are situated near Morrisville, Bucks County, Pa., one mile from Trenton, N. J., thirty miles from Philadelphia and sixty miles from New York. Trains leave Broad Street Station, Philadelphia, and Cortlandt and Desbrosses Street Ferries, New York, almost hourly for Trenton, N. J. There are trains quite frequently from Reading Terminal Station, Philadelphia, and Liberty Street Ferry, New York, to Trenton, N. J. Yardley, Morrisville and Trenton trolley passes our Nurseries every hour each way; take trolley at Calhoun Street Bridge, Trenton, N. J., 30 minutes after the hour, Yardley on the hour.

An invitation to visit our Nurseries is cordially extended to the Trade generally.

SHIPPING FACILITIES.—The Pennsylvania, Baltimore and Ohio and Philadelphia and Reading Railroads offer equal conveniences for shipping from Trenton, N. J., from which point all our shipments are made. We can forward west, via Pennsylvania Railroad, with through freight rates, without change of cars; north, via Lehigh

Valley Railroad and Erie Dispatch; and south and east, by rail or steamship lines from Philadelphia or New We can obtain very liberal freight rates, as there is considerable competition from this point.

Purchasers are requested to name the mode of conveyance by which they desire their shipments made, otherwise we will forward to the best of our judgment. After delivering to the forwarders, all articles are entirely at the risk of the purchaser; should any loss or delay occur, the forwarder alone must be held accountable and responsible.

· CLAIMS .- All claims for errors must be made upon receipt of stock. We desire to be informed at once of any errors that may occur, in order to rectify the same without delay. Address always

#### THE WM. H. MOON CO.


**Bucks County** 

MORRISVILLE, PA.

JAMES M. MOON, Pres.

HENRY W. COMFORT, Vice-Pres. WM. H. MOON, Sec. and Treas.

PHILADELPHIA OFFICE: 702 Stephen Girard Building, 21 South Twelfth Street



SCHWEDLER'S MAPLE. (See page 8.)

## Ornamental Department

#### **DECIDUOUS TREES**

The following trees have been frequently transplanted, are well furnished with fine fibrous roots, and are in a vigorous, thrifty condition. Caliber will be given when requested.

Per 10

100

ALDER (Alnus)-

<b>European</b> (A. glutinosa). 6 to 8 ft\$2 00	\$15 00
8 to 10 ft	25 00
10 to 12 ft	40 00
12 to 14 ft	60 00
<b>Speckled</b> (A. incana). 5 to 6 ft	15 00
8 to 10 ft	25 00
10 to 12 ft	40 00
12 to 14 ft	
<b>ARALIA spinosa.</b> 2 to 3 ft	15 00
ASH (Fraxinus)—	
American White (F. alba). 4 to 6 ft 1 50	10 00
6 to 8 ft 2 00	18 00
10 to 12 ft	
12 to 14 ft	
<b>English</b> ( <i>F. excelsior</i> ). 6 to 8 ft	14 00
8 to 10 ft	20 00
10 to 12 ft	30 00
12 to 14 ft	
Flowering (F. ornus). 6 to 8 ft 3 00	
8 to 10 ft	
10 to 12 ft	
Elder-Leaved, or Black $(F.\ sambucifolia)$	
8 to 10 ft	25 00
10 to 12 ft	65 00
12 to 14 ft	110 00
BEECH (Fagus)—	
American (F. Ferruginea). 2 to 4 ft 5 00	40 00
European (F. sylvatica). 4 to 5 ft 5 00	40 00
5 to 6 ft 6 00	50 00
Tricolor. 2 to 3 ft 9 00	
Purple-Leaved (F. atropurpurea). 5 to 6 ft 6 00	50 00
6 to 8 ft	90 00
8 to 10 ft	125 00
Cut-Leaved (F. laciniata). Grafted, 3 to 4 ft.15 00	
BIRCH (Betula)—	
Cut-Leaved. See Weeping Trees, page 11.	
Canoe (B. papyracea). 4 to 6 ft 2 00	16 00
Black (B. nigra). 3 to 5 ft 2 00	16 00
Pyramidal (B. pyramidalis). 4 to 6 ft 4 00	

BIRCH (Betula)— Per 10	100
Purple-Leaved (B. purpurea). 4 to 5 ft\$4 00	100
Yellow (B. lutea). 3 to 5 ft	\$16 00
6 to 8 ft 4 00	***************************************
8 to 10 ft 7 50	
<b>Sweet</b> (B. lenta). 3 to 5 ft	
White (B. alba). 4 to 6 ft	16 00
6 to 8 ft	
BUTTONWOOD. See Plane, Oriental, p. 9.	
CATALPA	
<b>Bignonioides.</b> 6 to 8 ft 2 50	20 00
Bungei. Grafted, 6 to 8 ft., 2-year heads 10 00	
<b>Speciosa.</b> 5 to 6 ft	12 00
6 to 8 ft	20 00
CHERRY (Cerasus)—	
American Bird (C. Serotina). 6 to 8 ft 2 50	20 00
8 to 10 ft 3 50	30 00
CYPRESS (Taxodlum)—	
Deciduous $(T. distichum)$ . 3 to 4 ft 2 50	
4 to 6 ft	
<b>DOGWOOD.</b> See Cornus, in Shrubs, page 19.	
ELM (Ulmus)—	
American $(U. Americana)$ . 6 to 8 ft 2 50	20 00
8 to 10 ft	30 00
10 to 12 ft	35 00
12 to 14 ft	75 00
<b>Broad-Leaved</b> ( <i>U. latifolia</i> ). 10 to 12 ft 4 00 12 to 14 ft	35 00 75 00
	10 00
CINCKO (Salisburia)—	20.00
Japan (S. adiantifolia).       4 to 5 ft	20 00
5 to 7 ft	30 00 50 00
	30 00
GLEDITSCHIA Triacanthos—	10.00
2 to 3 ft	12 00
3 to 5 ft 2 50	20 00
GUM (Liquidambar)—	
<b>Sweet</b> ( <i>L. styraciflua</i> ). 3 to 4 ft	20 00
HOP TREE (Ptelea trifoliata). 2 to 3 ft 75	5 00
3 to 4 ft 1 00	8 00
4 to 6 ft	12 00
Golden (P. trifoliata aurea). 2 to 3 ft 2 00	15 00
3 to 4 ft	20 00
4 to 5 ft	
HORNBEAM (Carpinus)—	
European $(C. betula)$ . 2 to 3 ft 3 50	30 00
3 to 5 ft	40 00
HORSE-CHESTNUT (Æsculus)	
White-Flowering (Æ. hippocastanum)	
4 to 6 ft	20 00
6 to 8 ft	25 00

Glenwood Nurseries, Morrisville, I	Pa.	7
KENTUCKY COFFEE TREE (Gymnocladus Per	10 10	0
Canadensis). 2 to 3 ft\$1 0		
3 to 4 ft	50 12	00
KŒLREUTERIA paniculata—		
2 to 3 ft	0 12	00
4 to 6 ft		00
LARCH (Larix)—	10	
European (L. $Europæa$ ). 5 to 6 ft 5 0	00	
LINDEN (Tilia)-		
American (T. Americana). 6 to 8 ft 3 5		00
8 to 10 ft		00
10 to 12 ft		
12 to 14 ft		
Broad-Leaved (T. platyphylla). 8 to 10 ft 5 0		
10 to 12 ft		
6 to 8 ft		
<b>Silver-Leaved</b> ( <i>T. argentea</i> ). 8 to 10 ft10 0		
	, ,	
MAGNOLIA-		
Cucumber Tree (M. acuminata). 5 to 6 ft 3 0	00	
Glauca (M. glauca). 2 to 4 ft		
Kobus. 4 to 6 ft		
3 to 4 ft		
	00	
Trinetala, 4 to 6 ft	00	
Tripetala. 4 to 6 ft		
6 to 8 ft	00	
6 to 8 ft	1,00	0
6 to 8 ft	1,00	0
6 to 8 ft	1,00 )	0
6 to 8 ft	1,00 ) )	0
6 to 8 ft	1,00 ) )	0
6 to 8 ft.       4 0         MAPLE (Acer)—       Per 10       100         Ash-Leaved (A. Negundo).       4 to 6 ft.\$1 50       \$12 00         6 to 8 ft.       2 00       18 00         8 to 10 ft.       2 50       20 00         10 to 12 ft.       6 00       50 00	1,00	0
6 to 8 ft.       4 0         MAPLE (Acer)—       Per 10       100         Ash-Leaved (A. Negundo).       4 to 6 ft.\$1 50       \$12 00         6 to 8 ft.       2 00       18 00         8 to 10 ft.       2 50       20 00         10 to 12 ft.       6 00       50 00         Cork-Barked (A. campestris)	1,00	0
6 to 8 ft.       4 0         MAPLE (Acer)—       Per 10       100         Ash-Leaved (A. Negundo).       4 to 6 ft.\$1 50       \$12 00         6 to 8 ft.       2 00       18 00         8 to 10 ft.       2 50       20 00         10 to 12 ft.       6 00       50 00         Cork-Barked (A. campestris)       3 50       25 00	1,00	
6 to 8 ft.       4 0         MAPLE (Acer)—       Per 10       100         Ash-Leaved (A. Negundo). 4 to 6 ft.\$1 50       \$12 00         6 to 8 ft.       2 00       18 00         8 to 10 ft.       2 50       20 00         10 to 12 ft.       6 00       50 00         Cork-Barked (A. campestris)       3 50       25 00         8 to 10 ft.       5 00         Norway (A. platanioides).       6 to 8 ft.       2 00       18 00         8 to 10 ft.       3 50       30 00	1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000	00
6 to 8 ft.       4 0         MAPLE (Acer)—       Per 10       100         Ash-Leaved (A. Negundo). 4 to 6 ft.\$1 50       \$12 00         6 to 8 ft.       2 00       18 00         8 to 10 ft.       2 50       20 00         10 to 12 ft.       6 00       50 00         Cork-Barked (A. campestris).       3 50       25 00         8 to 10 ft.       5 00         Norway (A. platanioides).       6 to 8 ft. 2 00       18 00         8 to 10 ft.       3 50       30 00         10 to 12 ft.       5 00       40 00	1,00 1,00 1,00 1,00 1,00 1,00 1,00 1,00	00 00
6 to 8 ft.       4 0         MAPLE (Acer)—       Per 10       100         Ash-Leaved (A. Negundo).       4 to 6 ft.\$1 50       \$12 00         6 to 8 ft.       2 00       18 00         8 to 10 ft.       2 50       20 00         10 to 12 ft.       6 00       50 00         Cork-Barked (A. campestris).       3 50       25 00         8 to 10 ft.       5 00         Norway (A. platanioides).       6 to 8 ft.       2 00       18 00         8 to 10 ft.       3 50       30 00         10 to 12 ft.       5 00       40 00         Red (A. colchicum rubrum).       4 to 6 ft.       3 00	1,00 1,00 1,00 1,00 1,00 1,00 1,00 1,00	00 00
6 to 8 ft.       4 0         MAPLE (Acer)—       Per 10       100         Ash-Leaved (A. Negundo).       4 to 6 ft.\$1 50       \$12 00         6 to 8 ft.       2 00       18 00         8 to 10 ft.       2 50       20 00         10 to 12 ft.       6 00       50 00         Cork-Barked (A. campestris).       3 50       25 00         8 to 8 ft.       3 50       25 00         8 to 10 ft.       5 00         Norway (A. platanioides).       6 to 8 ft.       2 00       18 00         8 to 10 ft.       3 50       30 00         10 to 12 ft.       5 00       40 00         Red (A. colchicum rubrum).       4 to 6 ft.       3 00         6 to 8 ft.       5 00       5 00	1,00 1,00 1,00 1,00 1,00 1,00 1,00 1,00	00 00
6 to 8 ft.       4 0         MAPLE (Acer)—       Per 10       100         Ash-Leaved (A. Negundo). 4 to 6 ft.\$1 50       \$12 00         6 to 8 ft.       2 00       18 00         8 to 10 ft.       2 50       20 00         10 to 12 ft.       6 00       50 00         Cork-Barked (A. campestris).       3 50       25 00         8 to 10 ft.       5 00         Norway (A. platanioides). 6 to 8 ft. 2 00       18 00         8 to 10 ft.       3 50       30 00         10 to 12 ft.       5 00       40 00         Red (A. colchicum rubrum).       4 to 6 ft. 3 00         6 to 8 ft.       5 00         8 to 10 ft.       7 50	1,000 1,000	00 00
6 to 8 ft.       4 0         MAPLE (Acer)—       Per 10       100         Ash-Leaved (A. Negundo).       4 to 6 ft.\$1 50       \$12 00         6 to 8 ft.       2 00       18 00         8 to 10 ft.       2 50       20 00         10 to 12 ft.       6 00       50 00         Cork-Barked (A. campestris).       3 50       25 00         8 to 10 ft.       5 00         Norway (A. platanioides).       6 to 8 ft.       2 00       18 00         8 to 10 ft.       3 50       30 00       00         10 to 12 ft.       5 00       40 00         Red (A. colchicum rubrum).       4 to 6 ft.       3 00         6 to 8 ft.       5 00       8 to 10 ft.       7 50         Scarlet (A. rubrum).       3 to 4 ft.       3 00       25 00	1,000 1,000	00 00
6 to 8 ft.       4 0         MAPLE (Acer)—       Per 10       100         Ash-Leaved (A. Negundo). 4 to 6 ft.\$1 50       \$12 00         6 to 8 ft.       2 00       18 00         8 to 10 ft.       2 50       20 00         10 to 12 ft.       6 00       50 00         Cork-Barked (A. campestris).       3 50       25 00         8 to 10 ft.       5 00         Norway (A. platanioides). 6 to 8 ft. 2 00       18 00         8 to 10 ft.       3 50       30 00         10 to 12 ft.       5 00       40 00         Red (A. colchicum rubrum).       4 to 6 ft. 3 00       4 to 5 ft.       3 00       25 00         4 to 5 ft.       4 00       35 00       35 00       35 00       35 00       35 00	1,000 1,000	00 00
6 to 8 ft.       4 0         MAPLE (Acer)—       Per 10       100         Ash-Leaved (A. Negundo). 4 to 6 ft.\$1 50       \$12 00         6 to 8 ft.       2 00       18 00         8 to 10 ft.       2 50       20 00         10 to 12 ft.       6 00       50 00         Cork-Barked (A. campestris).       3 50       25 00         8 to 10 ft.       5 00         Norway (A. platanioides). 6 to 8 ft. 2 00       18 00         8 to 10 ft.       3 50       30 00         10 to 12 ft.       5 00       40 00         Red (A. colchicum rubrum).       4 to 6 ft. 3 00       6 to 8 ft.       5 00         8 to 10 ft.       7 50       50       500       500         8 to 10 ft.       7 50       50       500       500       500         8 to 10 ft.       7 50       50       500 <td>1,00 1,00 1,00 1,00 1,00 1,00 1,00 1,00</td> <td>00 00 00</td>	1,00 1,00 1,00 1,00 1,00 1,00 1,00 1,00	00 00 00
MAPLE (Acer)—       Per 10       100         Ash-Leaved (A. Negundo). 4 to 6 ft.\$1 50       \$12 00         6 to 8 ft.       2 00       18 00         8 to 10 ft.       2 50       20 00         10 to 12 ft.       6 00       50 00         Cork-Barked (A. campestris).       3 50       25 00         8 to 10 ft.       5 00         Norway (A. platanioides). 6 to 8 ft. 2 00       18 00         8 to 10 ft.       3 50       30 00         10 to 12 ft.       5 00       40 00         Red (A. colchicum rubrum).       4 to 6 ft. 3 00       6 to 8 ft.       5 00         8 to 10 ft.       7 50         Scarlet (A. rubrum).       3 to 4 ft.       3 00       25 00         4 to 5 ft.       4 00       35 00         Silver-Leaved (A. dasycarpum).       8 to 10 ft.       1 50       10 00	1,000 1,000	00 00 00
MAPLE (Acer)—       Per 10       100         Ash-Leaved (A. Negundo). 4 to 6 ft.\$1 50       \$12 00         6 to 8 ft.       2 00       18 00         8 to 10 ft.       2 50       20 00         10 to 12 ft.       6 00       50 00         Cork-Barked (A. campestris).       3 50       25 00         8 to 10 ft.       5 00         Norway (A. platanioides).       6 to 8 ft. 2 00       18 00         8 to 10 ft.       3 50       30 00         10 to 12 ft.       5 00       40 00         Red (A. colchicum rubrum).       4 to 6 ft. 3 00         6 to 8 ft.       5 00         8 to 10 ft.       7 50         Scarlet (A. rubrum).       3 to 4 ft.       3 00       25 00         4 to 5 ft.       4 00       35 00         Silver-Leaved (A. dasycarpum).       8 to 10 ft.       1 50 10 00         10 to 12 ft.       1 80 12 00	1,000 1,000	00 00 00
6 to 8 ft.       4 0         MAPLE (Acer)—       Per 10       100         Ash-Leaved (A. Negundo). 4 to 6 ft.\$1 50       \$12 00         6 to 8 ft.       2 00       18 00         8 to 10 ft.       2 50       20 00         10 to 12 ft.       6 00       50 00         Cork-Barked (A. campestris).       3 50       25 00         8 to 10 ft.       5 00         Norway (A. platanioides). 6 to 8 ft. 2 00       18 00         8 to 10 ft.       3 50       30 00         10 to 12 ft.       5 00       40 00         Red (A. colchicum rubrum).       4 to 6 ft. 3 00       6 to 8 ft.       5 00         8 to 10 ft.       7 50         Scarlet (A. rubrum).       3 to 4 ft.       3 00       25 00         4 to 5 ft.       4 00       35 00         Silver-Leaved (A. dasycarpum)       8 to 10 ft.       1 50 10 00         10 to 12 ft.       1 80 12 00         12 to 14 ft.       3 50 20 00	1,000 1,000	00 00 00
MAPLE (Acer)—       Per 10       100         Ash-Leaved (A. Negundo). 4 to 6 ft.\$1 50       \$12 00         6 to 8 ft.       2 00       18 00         8 to 10 ft.       2 50       20 00         10 to 12 ft.       6 00       50 00         Cork-Barked (A. campestris)       3 50       25 00         8 to 10 ft.       5 00         Norway (A. platanioides).       6 to 8 ft.       2 00       18 00         8 to 10 ft.       3 50       30 00         10 to 12 ft.       5 00       40 00         Red (A. colchicum rubrum).       4 to 6 ft.       3 00         8 to 10 ft.       7 50         Scarlet (A. rubrum).       3 to 4 ft.       3 00       25 00         4 to 5 ft.       4 00       35 00         Silver-Leaved (A. dasycarpum)       1 50 10 00         10 to 12 ft.       1 80 12 00         12 to 14 ft.       3 50 20 00	1,000 1,000	00 00 00
MAPLE (Acer)—       Per 10       100         Ash-Leaved (A. Negundo). 4 to 6 ft.\$1 50       \$12 00         6 to 8 ft.       2 00       18 00         8 to 10 ft.       2 50       20 00         10 to 12 ft.       6 00       50 00         Cork-Barked (A. campestris)       3 50       25 00         8 to 10 ft.       5 00         Norway (A. platanioides).       6 to 8 ft. 2 00       18 00         8 to 10 ft.       3 50       30 00         10 to 12 ft.       5 00       40 00         Red (A. colchicum rubrum).       4 to 6 ft. 3 00       6 to 8 ft.       5 00         8 to 10 ft.       7 50         Scarlet (A. rubrum).       3 to 4 ft.       3 00       25 00         4 to 5 ft.       4 00       35 00         Silver-Leaved (A. dasycarpum).       8 to 10 ft.       1 50 10 00         10 to 12 ft.       1 80 12 00         12 to 14 ft.       3 50 20 00         14 to 16 ft.       5 00 40 00	1,000 1,000	00 00 00 00
MAPLE (Acer)—       Per 10       100         Ash-Leaved (A. Negundo). 4 to 6 ft.\$1 50       \$12 00         6 to 8 ft.       2 00       18 00         8 to 10 ft.       2 50       20 00         10 to 12 ft.       6 00       50 00         Cork-Barked (A. campestris)       3 50       25 00         8 to 10 ft.       5 00         Norway (A. platanioides).       6 to 8 ft. 2 00       18 00         8 to 10 ft.       3 50       30 00         10 to 12 ft.       5 00       40 00         Red (A. colchicum rubrum).       4 to 6 ft. 3 00       6 to 8 ft.       5 00         8 to 10 ft.       7 50         Scarlet (A. rubrum).       3 to 4 ft.       3 00       25 00         4 to 5 ft.       4 00       35 00         Silver-Leaved (A. dasycarpum).       8 to 10 ft.       1 50 10 00         10 to 12 ft.       1 80 12 00         12 to 14 ft.       3 50 20 00         14 to 16 ft.       5 00 40 00         Sugar (A. saecharinum).       6 to 8 ft.       2 00 16 00	1,000 1,000	00 00 00 00 00

14 to 16 ft. . . . . . . . . . . 5 00 40 00 Larger and heavier grades at special quotations.

MAPLE (Acer)— Per 10	100
Sycamore (A. pseudo-platanus). 4 to 6 ft\$1 50	\$12 00
6 to 8 ft 2 50	20 00
8 to 10 ft	30 00
10 to 12 ft	45 00
12 to 14 ft	
Wier's Cut-Leaved (A. Wierii aziniatum)—	
8 to 10 ft	
Tataricum Ginnala. 2 to 3 ft 1 50	12 00
6 to 7 ft	
Reitenbach's. 6 to 8 ft 6 00	
<b>Schwedlerii.</b> 8 to 10 ft	



NORWAY MAPLE. (See page 7.)

MOUNTAIN ASH (Sorbus aucuparia)—	Per 10	100
3 to 4 ft	\$1 00	\$8 00
4 to 5 ft	2 50	20 00
6 to 8 ft	4 00	
Oak-Leaved. 6 to 8 ft	4 00	
OAK (Quercus)—		
Chestnut (Q. Prinos). 4 to 5 ft	6 00	50 00
5 to 7 ft	7 50	70 00
English (Q. Robur). 6 to 8 ft	4 00	30 00
8 to 10 ft	5 00	40 00
10 to 12 ft	6 00	50 00
12 to 14 ft	10 00	



PIN OAK.

OAK (Quercus)— Per	10 100	1,000
Pin (Q. palustris). 4 to 6 ft\$4 0	0 \$30 00	\$275 00
6 to 7 ft 6 0		400 00
7 to 8 ft 7 0	0 60 00	500 00
9 to 10 ft	0 80 00	750 00
10 to 11 ft., low branched25 0	0	
Mossy Cup (Q. macrocarpa).		
4 to 6 ft	0 35 00	
6 to 8 ft	0 60 00	
<b>Red</b> (Q. rubra). 4 to 5 ft 5 0	0 40 00	
5 to 6 ft	0	
Scarlet (Q. coccinea), 4 to 5 ft 5 0	0 40 00	
5 to 6 ft		
Turkey (Q. Cerris). 4 to 6 ft 2 5	0 20 00	
6 to 8 ft	0 30 00	
White (Q. alba.) 3 to 5 ft 5 0	0 45 00	400 00
Willow-Leaved (Q. phellos).		
4 to 6 ft 7 5	0 60 00	
PLANE (Platanus)—		
Oriental (P. orientalis). Very fine-		
5 to 6 ft 2 0	0 16 00	150 00
6 to 8 ft 2 5	0 20 00	190 00
8 to 10 ft	0 25 00	225 00
10 to 12 ft 4 0	0 35 00	325 00
POPLAR (Populus)—	Per 10	100
Carolina (P. angulata). 6 to 8 ft	\$1 50	\$12 00
8 to 10 ft	2 00	15 00
10 to 12 ft	2 50	20 00
12 to 15 ft	4 00	30 00

POPLAR (Populus)— Per 10	100
Golden (P. Van Geertii aurea). 4 to 6 ft\$3 00	
Silver White (P. Nova argentea). 7 to 9 ft 3 00	\$20 00
<b>Lombardy.</b> 6 to 8 ft	10 00
8 to 10 ft 2 00	15 00
12 to 15 ft	30 00
TULIP TREE (Liriodendron Tulipitera)—	
4 to 6 ft	25 00
6 to 8 ft	40 00
YELLOW-WOOD (Virgilia lutea)—	
1 to 2 ft	15 00
3 to 5 ft	
WILLOW (Salix)— Common Weeping. See Weeping Trees.	
Golden-Barked (S. alba vitellina). 4 to 6 ft 2 50	20 00
6 to 8 ft	20 00
Laurel-Leaved (S. $Pentandra$ ). 4 to 6 ft 2 00	16 00
Rosemary-Leaved (S. remanura). 4 to 6 ft 2 00	16 00
3 to 5 ft., on own roots	16 00
	-00
5 to 7 ft., grafted	30 00
Royal Silver-Leaved (S. regalis)—	40.00
2 to 4 ft	10 00
WALNUTS. See Nuts, Fruit Department.	



ORIENTAL PLANE TREE. (See page 9.)

### WEEPING TREES

WEEPING IREES	
Per 10	100
ASH (Fraxinus pendula)\$6 00	
BEECH (Fagus pendula.) 3 to 4 ft	
BIRCH (Betula)—	
Cut-Leaved (B. laciniata pendula). 6 to 8 ft10 00	
Young's Weeping. 4 to 5 ft 7 50	
<b>Elegans.</b> 2 to 4 ft	
ELM, Camperdown 5 00	
5 July 201112, 102 July 2011 10	
LINDEN (Tilia pendula). 5 to 6 ft 7 50	
MOUNTAIN ASH (Sorbus aucuparia pendula). 7 50	
MULBERRY (Morus pendula). 4 to 6 ft 6 00	
5 to 7 ft., extra heavy, 3 years 9 00	
WILLOW (Salix)—	
Kilmarnock (S. caprea pendula). Well headed,	
5 to 6 ft	\$25 00
New American (S. purpurea pendula). Well	
headed, 6 to 7 ft	35 00
Common Weeping (S. Babylonica)—	00 00
	16 00
4 to 5 ft	16 00
6 to 8 ft	25 00
8 to 10 ft	35 00
HEDGING, DECIDUOUS	
Per 100	1,000
<b>ALTHEAS, in variety.</b> 2 to 3 ft\$8 00	\$75 00
4 to 5 ft	150 00
BERBERIS Thunbergil. 1 to $1\frac{1}{2}$ ft 8 00	75 00
2 to 3 ft	125 00
PRIVET, California (Ligustrum ovalifolium)—	
	10.00
1 year, 1 to 1½ ft., well branched 2 50	18 00
1 year, $1\frac{1}{2}$ to 2 ft., well branched 3 00	20 00
2 years, 2 to 2½ ft., bushy 5 00	40 00
2 years, 3 to 4 ft., very bushy 8 00	75 00
Our 2-year Privets were cut back last spring	
and are now bushy and fine.	
OSACE ORANGE. Very fine-	
1 yearper 10,000, \$30 1 00	4 00
2 yearsper 10,000, \$45 1 50	5 00
RHAMNUS Catharticus (Buckthorn). 3 to 4 ft. 8 00	75 00
HEDCING EVEDODEEN	
HEDGING, EVERGREEN	
ARBORVITÆ— Par 10	100
American. 1½ to 2 ft	100
	\$8 00
2 to 3 ft 2 00	15 00
3 to 4 ft	35 00
Compacta, Dwarf. 9 to 12 in 1 00	8 00
18 to 24 in 5 00	40 00
SPRUCE, Norway	
	0.00
1 to 1½ ft., bushyper 1,000, \$75 1 00	8 00



GOLDEN ARBORVITÆ'S AT GLENWOOD. Thuya orientalis aurea and T. orientalis semper aurea.

#### **EVERGREEN TREES**

Our collection of Choice Evergreens of small and medium size is very large. Great care is taken to shear, move and root-prune them in order that they may transplant successfully. They have been frequently trimmed, and are of fine, symmetrical shape.

ARBORVITÆ (Thuya)— Per	10 10	0
American ( $T.$ occidentalis). $1\frac{1}{2}$ to 2 ft\$1		
2 to 3 ft	00 15	00
3 to 4 ft	00 35	00
Dwarf American (T. compacta). 6 to 9 in 6	50 5	00
9 to 12 in 1 0	00 8	00
12 to 18 in 2 5	50 20	00
1½ to 2 ft 5 0	00 40	00
2 to 3 ft 9 0	00 75	00
Elegantissima. $1\frac{1}{2}$ to 2 ft	00 45	00
Heath-Leaved (T. ericoides). 9 to 12 in 7	75 5	00
12 to 18 in 2 5	50	
George Peabody $(T. Peabody)$ . 6 to 9 in 2 5	50	
9 to 12 in 3 5	<b>5</b> 0	
1 to 2 ft 5 0	00	
<b>Globe</b> ( <i>T. globosa</i> ). 6 to 9 in	00 7	00
12 to 15 in 2 5	50 20	00
1 to 2 ft., bushy 3 5	50 30	00
2 to 3 ft10 0	00	
Hovey's Golden $(T.\ Hoveyi)$ . 9 to 12 in 1 0	00 8	00
12 to 18 in 2 0	00 15	00
1½ to 2 ft 4 0	0 35	00
2 to 3 ft 7 5	50	
Orientalis aurea. $1 \text{ to } 1\frac{1}{2} \text{ ft.} \dots 35$	30	00
Orientalis semper aurea. 1 to $1\frac{1}{2}$ ft 5 0	00 45	00
Pyramidal $(T. pyramidalis)$ . 6 to 12 in 1 0	00 8	00
1 to 2 ft	00 20	00
2 to 3 ft	00 35	00
Siberian (T. $Wareana$ ). 1 to $1\frac{1}{2}$ ft., fine 3 5	0	

ARBORVITÆ (Thuya)— Per 10	100
<b>Tom Thumb.</b> 9 to 12 in\$1 00	\$8 00
12 to 18 in	12 00
Vervæneana. 9 to 15 in	8 00
1½ to 2 ft	30 00
Weeping (T. Japonica filiformis pendula).	
18 to 24 in., bushy, grafted 7 50	
CEPHALOTAXUS	
<b>Drupacea.</b> 2 to 3 ft	
Fortunei. 2 to 3 ft	
FIR, SILVER (Abies)—	
Balsam (A. Balsamea). 1 to $1\frac{1}{2}$ ft 1 25	10 00
Concolor (A. concolor). 1 to 2 ft	
2 to 3 ft\$3 each	
3 to 4 ft\$4 and \$5 each	
Nordmann's (A. Nordmanniana)—	
1 to 2 ft 7 50	60 00
2 to 3 ft	150 00
3 to 4 ft., \$3 to \$4 each.	10 00
<b>European</b> (A. pectinata). 1 to $1\frac{1}{2}$ ft	10 00 40 00
4 to 5 ft	60 00
	00 00
HEMLOCK (Tsuga Canadensis)— Per 10 100	1,000
1 to 2 ft\$3 00 \$25 00	\$225 00
$2$ to $2\frac{1}{2}$ ft	
01/4-0 44 -1	000 00
2½ to 3 ft., sheared and bushy 10 00 90 00	800 00
3 to 3½ ft., sheared and bushy.12 50 110 00	800 00
3 to 3½ ft., sheared and bushy.12 50 110 00 SPRUCE (Picea)—	800 00
3 to $3\frac{1}{2}$ ft., sheared and bushy.12 50 110 00 SPRUCE (Picea)— Colorado Blue $(P.\ pungens)$ — Per 10	100
3 to 3½ ft., sheared and bushy.12 50 110 00  SPRUCE (Picea)—  Colorado Blue (P. pungens)— Per 10  1 to 2 ft	
3 to 3½ ft., sheared and bushy 12 50 110 00  SPRUCE (Picea)—  Colorado Blue (P. pungens)— Per 10  1 to 2 ft	100
3 to 3½ ft., sheared and bushy 12 50 110 00  SPRUCE (Picea)—  Colorado Blue (P. pungens)— Per 10  1 to 2 ft	100
3 to 3½ ft., sheared and bushy 12 50 110 00  SPRUCE (Picea)—  Colorado Blue (P. pungens)— Per 10  1 to 2 ft\$8 00  Selected Blue, 1 to 2 ft., according to color and form, \$1.50 to \$2 each.  Selected Blue, 2 to 3 ft., according to color	100
3 to 3½ ft., sheared and bushy 12 50 110 00  SPRUCE (Picea)—  Colorado Blue (P. pungens)— Per 10  1 to 2 ft	100
3 to 3½ ft., sheared and bushy 12 50 110 00  SPRUCE (Picea)—  Colorado Blue (P. pungens)— Per 10  1 to 2 ft\$8 00  Selected Blue, 1 to 2 ft., according to color and form, \$1.50 to \$2 each.  Selected Blue, 2 to 3 ft., according to color	100
3 to 3½ ft., sheared and bushy 12 50 110 00  SPRUCE (Picea)—  Colorado Blue (P. pungens)— Per 10  1 to 2 ft\$8 00  Selected Blue, 1 to 2 ft., according to color and form, \$1.50 to \$2 each.  Selected Blue, 2 to 3 ft., according to color and form, \$3 to \$4 each.  Koster's Blue, 3 to 4 ft., according to size	100
3 to 3½ ft., sheared and bushy 12 50 110 00  SPRUCE (Picea)—  Colorado Blue (P. pungens)— Per 10 1 to 2 ft	100
3 to 3½ ft., sheared and bushy 12 50 110 00  SPRUCE (Picea)—  Colorado Blue (P. pungens)— Per 10  1 to 2 ft	100
3 to 3½ ft., sheared and bushy 12 50 110 00  SPRUCE (Picea)—  Colorado Blue (P. pungens)— Per 10 1 to 2 ft	100
3 to 3½ ft., sheared and bushy 12 50 110 00  SPRUCE (Picea)—  Colorado Blue (P. pungens)— Per 10  1 to 2 ft	100 \$75 00
3 to 3½ ft., sheared and bushy 12 50 110 00  SPRUCE (Picea)—  Colorado Blue (P. pungens)— Per 10 1 to 2 ft	100
3 to 3½ ft., sheared and bushy 12 50 110 00  SPRUCE (Picea)—  Colorado Blue (P. pungens)— Per 10 1 to 2 ft	100 \$75 00
3 to 3½ ft., sheared and bushy 12 50 110 00  SPRUCE (Picea)—  Colorado Blue (P. pungens)— Per 10 1 to 2 ft	100 \$75 00
3 to 3½ ft., sheared and bushy 12 50 110 00  SPRUCE (Picea)—  Colorado Blue (P. pungens)— Per 10  1 to 2 ft	100 \$75 00
3 to 3½ ft., sheared and bushy 12 50 110 00  SPRUCE (Picea)—  Colorado Blue (P. pungens)— Per 10 1 to 2 ft	100 \$75 00
3 to 3½ ft., sheared and bushy 12 50 110 00  SPRUCE (Picea)—  Colorado Blue (P. pungens)— Per 10 1 to 2 ft	100 \$75 00
3 to 3½ ft., sheared and bushy 12 50 110 00  SPRUCE (Picea)—  Colorado Blue (P. pungens)— Per 10 1 to 2 ft	100 \$75 00
3 to 3½ ft., sheared and bushy 12 50 110 00  SPRUCE (Picea)—  Colorado Blue (P. pungens)— Per 10 1 to 2 ft	100 \$75 00 8 00 8 00
3 to 3½ ft., sheared and bushy 12 50 110 00  SPRUCE (Picea)—  Colorado Blue (P. pungens)— Per 10 1 to 2 ft	100 \$75 00 8 00 8 00 25 00
3 to 3½ ft., sheared and bushy .12 50 110 00  SPRUCE (Picea)—  Colorado Blue (P. pungens)— Per 10     1 to 2 ft	100 \$75 00 8 00 8 00
3 to 3½ ft., sheared and bushy 12 50 110 00  SPRUCE (Picea)—  Colorado Blue (P. pungens)— Per 10 1 to 2 ft	100 \$75 00 8 00 8 00 25 00 75 00



GOLDEN RETINOSPORA AT GLENWOOD.

JAPAN CYPRESS (Retinospora)—	Pe	r 10	10	0
Golden $(R. p. aurea)$ . 9 to 12 in	\$2	50	\$15	00
1 to 2 ft., very bushy, sheared	. 7	50	60	00
2 to 3 ft., very bushy, sheared	. 15	00	125	00
3 to 4 ft., very bushy, sheared	.25	00	200	00
<b>Obtusa.</b> 1 to 1½ ft	. 4	00		
3 to 4 ft	. 15	00		
Obtusa nana. 6 to 9 in	. 6	00		
1 to 2 ft	. 20	00		
Silver $(R. squarrosa)$ . 9 to 12 in	. 1	50	15	00
$1\frac{1}{2}$ to 2 ft., sheared	. 7	50	60	00
2 to 3 ft., sheared,	. 15	00	125	00
JUNIPER (Juniperus)				
Aurea. 9 to 12 in	2	00	20	00
12 to 18 in., broad and bushy		00	40	
Irish (J. Hibernica). 6 to 12 in		75		00
1 to 2 ft		00	_	00
2 to 2½ ft.		50		00
Pyramidal (J. pyramidalis). 1 to 2 ft		00	10	00
2 to 3 ft		50		
Prostrata (J. prostrata). 1 to $1\frac{1}{2}$ ft		50		
Swedish (J. suecica). 6 to 12 in			8	00
1 to 1½ ft		50	20	
PINE (Pinus)— Austrian (P. Austriaca). 1 to 2 ft	1	50	10	00
4 to 5 ft., sheared			125	
<b>Dwarf</b> (P. $Mugho$ ). 1 to $1\frac{1}{2}$ ft., light			25	
1 to 2 ft., bushy		50	60	
2 to 3 ft. Perfect specimens, \$2 to \$3 each		90	00	00
Excelsa. 2 to 3 ft.		00	50	00
3 to 4 ft			125	
4 to 6 ft.			200	
Scotch ( <i>P. sylvestris</i> ). 1½ to 2 ft			12	
2 to 2½ ft., bushy			25	
2 00 2/2 100, Dustry	. 0	00	20	00

PINE (Pinus)— Per 10	100
White (P. strobus). 1 to 2 ft\$1 00	\$8 00
2 to 3 ft	45 00
3 to 4 ft 8 00	75 00
4 to 5 ft	
Dwarf, White (P. strobus nanus). 1 to 2 ft., grafted, very bushy specimens15 00	
THUYOPSIS (Borealis). $9 \ to \ 12 \ in$	
YEW (Taxus)—	
Adpressa. 1 to 2 ft 8 00	
English (T. baccata erecta). 1 to 2 ft 7 50	
2 to 3 ft	
3 to 4 ft	
Irlsh (T. Hibernica). 1 to 2 ft 7 50	
Pyramidal $(T. pyramidalis)$ . 1 to $1\frac{1}{2}$ ft 7 50	
Varlegated ( $T. variegata$ ). 6 to 12 in 5 00	
Evergreens of larger sizes than quoted herein	

Evergreens of larger sizes than quoted herein can be furnished of most varieties, prices of which will be given on application.

#### **EVERGREEN SHRUBS**

AZALEA Amœna — Per 10	100
From 3-in. pots, nice bushy plants\$2 00	\$15 00
6 to 10 in., very bushy, from open ground. 3 50	30 00
10 to 12 in., very bushy 5 00	40 00
<b>BOX</b> ( <b>Buxus</b> )— Per 10 100	1,000
<b>Arborescens.</b> 6 to 12 in\$0 75 \$5 00	\$40 00
9 to 15 in	
1 to 1½ ft., bushy	
$1\frac{1}{2}$ to 2 ft., bushy	
Macrophylla rotundifolia. 12 to 18 in. 1 50 10 00	
Suffruticosa. Box edging, 2 years,	
4 to 6 in	35 00
Varlegata. 15 to 18 in	
Per 10	100
COTONEASTER Buxifolia. 1 to 2 ft., very	410.00
bushy\$1 50	\$12 00
CRATÆGUS pyracantha. 9 to 15 in 1 75	15 00
EUONYMUS—	
Varlegated Trailing (E. radicans variegata).	
1 year 75	5 00
2 years 1 00	8 00
3 years 1 25	10 00
Green Tralling (E. radicans viridis), 2 years, 1 00	7 00
3 years 1 25	10 00
Green Upright (E. Japonica). 1 to 2 ft 1 00	8 00
2 to 3 ft	
3 to 4 ft., very bushy 3 00	
Variegated (E. Japonica argentea variegata).	
12 to 18 in 1 25	10 00
18 to 24 in	16 00
<b>Golden</b> ( <i>E. aurea</i> ). 6 to 12 in	12 00
1 to 2 ft 2 50	20 00



VIEW AT GLENWOOD NURSERIES,

HARDY ORANGE (Limonia trifoliata)—	Pe	r 10	10	00
3 to 4 ft	\$1	75	\$15	00
HOLLY (Ilex)—	-			
<b>Aquifolia.</b> 9 to 12 in	1	50	12	00
1 to 2 ft	2	50	20	00
2 to 3 ft	5	00		
American (I. opaca). 2 to 3 ft	7	50		
KALMIA-				
<b>Broad-Leaved</b> (K. latifolia). 15 to 18 in	6	00		
Narrow-Leaved $(K.\ angustifolia)$ .				
1½ to 2½ ft	4	00		
MAHONIA				
Aquifolia. 9 to 12 in	1	00	6	00
1 to 1½ ft	2	00	15	00
Japonica. 1 to 2 ft	5	00	40	00
2 to 3 ft	6	00	50	00
RHODODENDRONS-				
Named Varieties (with buds). 15 to 18 in	9	00		
18 to 22 in	12	00		
24 to 30 in	15	00		
30 to 36 in	25	00		
YUCCA filamentosa—				
2 years, transplanted		<b>7</b> 5	5	00
3 years, transplanted			6	00
4 years, twice transplanted			20	00
Large clumps, 4 and 5 years	5	00		



SHOWING A PORTION OF THE PLANTING.

#### FLOWERING SHRUBS, DECIDUOUS

We offer an immense stock of Deciduous Flowering Shrubs of large, medium and small sizes. All have been carefully grown and cultivated. The larger grades have been trimmed into symmetrical shape and are unsurpassed for decorative planting.

Larger and heavier shrubs than those quoted can be furnished of most varieties. Prices on application.

	Per 10	100
ACACIA Julibrissin. 4 to 5 ft	\$3 00	
ALMOND —		
Double White. 2 to 3 ft	1 25	
Double Red. 2 to 3 ft	1 25	
ALTHEA—		
Variegated-Leaved. 1 to 2 ft	1 25	\$10 00
2 to 3 ft	1 75	15 00
3 to 4 ft	2 00	
Double, Tall-growing, named varieties-		
1 to 2 ft	75	6 00
2 to 3 ft	1 25	10 00
3 to 4 ft., bushy	1 75	14 00
4 to 5 ft., bushy	2 50	18 00
5 to 6 ft., bushy	3 50	<b>25</b> 00
6 to 8 ft., bushy	5 00	<b>35</b> 00
Ties of Transation (1)		

List of Varieties.—Alba plena, Amplissima, Ardens, Boule de feu, Carnea plena, Comte de Haimont, Duchesse de Brabant, Double Rouge, Elegantissima plena, Grandiflora superba, Joan of Arc, Lady Stanley, Leopoldi plena, Pæoniflora plena, Van Houttei, Bicolor, White, Purple, Red.

Per 10	100
ALTHEA Totus alba Simplex. Pure white,	+0.00
distinct, single. 1 to 2 ft\$1 00	\$8 00
2 to 3 ft 2 00	
AMELANCHIER	
<b>Botryapium.</b> 2 to 3 ft	12 00
3 to 4 ft	15 00
4 to 5 ft	
Vulgaris. 3 to 4 ft	
4 to 6 ft	
AMORPHA fruticosa (Indigo Bush)—	
1 to 2 ft	5 00
2 to 3 ft	8 00
4 to 6 ft	$12 00 \\ 20 00$
ANDROMEDA Marianna: 1 to 2 ft	15 00
	10 00
<b>AZALEA Mollis.</b> 15 to 18 in	35 00
20 to 30 in., strong clumps 6 00	50 00
Pontica. 15 to 18 in	50 00
Amœna. See Evergreen Shrubs, page 15.	00 00
BACCHARIS halimifolia—	
1 to 2 ft	8 00
2 to 3 ft	12 00
3 to 4 ft	16 00
BERBERIS	
<b>Purpurea.</b> 9 to 15 in	5 00
18 to 24 in	8 00
2 to 3 ft	10 00
<b>Thunbergil.</b> 1 to 1½ ft	8 00
1½ to 2 ft	10 00 15 00
2 to 3 ft., bushy	20 00
Vulgaris. 1 to $1\frac{1}{2}$ ft	5 00
2 to 3 ft	10 00
CALLICARPA purpurea. 2 to 4 ft 1 00	8 00
CALYCANTHUS Floridus (Sweet Shrub)—	
1 to 2 ft	5 00
2 to 3 ft	8 00
3 to 4 ft	
4 to 5 ft 2 00	16 00
CARAGANA arborescens. 1 to 2 ft 1 00	8 00
CARYOPTERIS Mastacantha. 1 to 2 ft 1 25	10 00
CERCIS (Judas Tree)—	
American (C. Canadensis). 2 to 4 ft 2 50	20 00
4 to 5 ft 4 00	30 00
Japan. 1 to 2 ft	
2 to 3 ft 5 00	
CHIONANTHUS Virginica. 1 to 2 ft 1 00	8 00
2 to 3 ft	12 00
4 to 6 ft 3 50	

CLETHRA alnifolia. 1½ to 2 ft	Per 10	100 \$10 00
		\$10 UU
COLUTEA arborescens. 2 to 3 ft		
3 to 4 ft	. 1 50	
CORNUS (Dogwood)		
Alternifolia. 3 to 5 ft	. 1 50	12 00
Floridus. 2 to 3 ft	. 1 75	15 00
3 to 4 ft		20 00
4 to 5 ft		
Siberian, Red-Twigged. 2 to 3 ft		6 00
3 to 4 ft		8 00
3 to 4 ft		8 00 15 00
Sericea. 3 to 4 ft		8 00
4 to 5 ft		10 00
Stolonifera aurea. 1 to 2 ft		16 00
00001110		
Avellana (Filbert). 4 to 5 ft., bushy	1.75	15 00
5 to 6 ft		15 00 20 00
6 to 8 ft.		20 00
Avellana purpurea. 1 to 2 ft		20 00
	00	
CORCHORUS. See Kerria, page 21.		
COTONEASTER Simonsil. 2 to 3 ft., bushy		10 00
3 to 4 ft	. 1 50	12 00
CYDONIA Japonica (Pyrus). 2 to 3 ft	1 25	10 00
CYTISUS laburnum. 1 to 2 ft	1 00	8 00
2 to 3 ft	1 25	10 00
3 to 4 ft	1 50	
DEUTZIA		
Crenata flore alba plena. 2 to 3 ft	. 1 00	8 00
4 to 5 ft		16 00
Crenata plena. 2 to 3 ft		8 00
3 to 4 ft		10 00
4 to 6 ft		16 00
6 to 7 ft		25 00
2 to 3 ft		8 00 10 00
4 to 6 ft		20 00
Fortunel. 2 to 3 ft		8 00
3 to 4 ft		12 00
Gracills. 9 to 12 in	60	5 00
12 to 18 in	75	6 00
18 to 24 in		8 00
Lemoinel. 1 to 2 ft.		12 00
Pride of Rochester. 2 to 3 ft		10 00
3 to 4 ft		12 00
4 to 6 ft		18 00 12 00
4 to 6 ft.		20 00
Watereri. 2 to 3 ft.		10 00
3 to 4 ft		12 00
4 to 5 ft	2 50	20 00

DEUTZIA Per 10	100
<b>Watsonii.</b> 2 to 3 ft\$1 25	\$10 00
3 to 4 ft	12 00
Wellsei. 2 to 3 ft 1 25	10 00
3 to 4 ft	12 00
4 to 6 ft	20 00
	20 00
<b>DIERVILLA lutea.</b> 2 to 3 ft	
3 to 4 ft	15 00
ELÆACNUS longipes. 2 to 3 ft 2 00	
3 to 4 ft	
<b>EUONYMUS, European.</b> 3 to 4 ft	$10 \ 0_0$
4 to 6 ft	$15 \ 00$
6 to 7 ft	$20 \ 00$
Nana. Dwarf. 9 to 15 in	10 00
2 to 3 ft., very bushy 5 00	
Radicans argentea variegata. See Ever-	
green Shrubs, page 15.	
6 ( ) <b>1</b>	
<b>EXOCHORDA</b> grandiflora. 1 to 2 ft 1 00	8 00
2 to 3 ft	10 00
3 to 4 ft	12 00
FORSYTHIA Fortunei. 1 to 2 ft	6 00
2 to 3 ft	8 00
3 to 4 ft	12 00
<b>Suspensa.</b> 1 to 2 ft	8 00
2 to 3 ft	10 00
3 to 4 ft	12 00
Viridissima. 1 to 2 ft	6 00
2 to 3 ft	8 00
3 to 4 ft	12 00
4 to 5 ft., very bushy	20 00
Intermedia. 2 to 3 ft	8 00
3 to 4 ft	10 00
4 to 5 ft	
1.00	
HALESIA tetraptera. 1 to 2 ft 1 00	
<b>HAMAMELIS Virginica.</b> 1 to $1\frac{1}{2}$ ft 1 25	10 00
2 to 3 ft	12 00
HYPERICUM	
<b>Aureum.</b> $1\frac{1}{2}$ to $2\frac{1}{2}$ ft	8 00
<b>Kalmlanum.</b> $1\frac{1}{2}$ to $2\frac{1}{2}$ ft	8 00
Moserianum. 1 ft 1 00	8 00
HVDDANGEA	
HYDRANGEA 10 100	1,000
Paniculata grandiflora. 1 to 2 ft\$1 00 \$6 00	\$50 00
2 to 2½ ft	75 00
2½ to 3 ft 1 50 10 00	90 00
3 to 4 ft	$125 \ 00$
$3\frac{1}{2}$ to $4\frac{1}{2}$ ft., extra heavy and fine 2 50 20 00	
<b>Pekinensis.</b> 3 to 5 ft	
Quercifolia. 2 to 3 ft 5 00	

KERRIA Japonica Per 10	
Simplex. 1 to 2 ft	5 \$5 00
3 to 4 ft 1 00	8 00
Variegata. 6 to 12 in	5 00
1 to 2 ft 1 00	8 00
Flora plena. 1 to 2 ft	5 5 00
3 to 5 ft	8 00
<b>LAURUS</b> Benzoin. 2 to 3 ft	)
LIGUSTRUM (Privet) - Per 10 100	1,000
California. 1 to 1½ ft., 1 year\$0 50 \$2 50	\$18 00
1½ to 2 ft., 1 year 60 3 00	20 00
2 to 2½ ft., 2 years 75 5 00	40 00
3 to 4 ft., 2 years 1 00 8 00	75 00
Tree-shaped, 5 to 7 ft 10 00	
All 2-year Privets were cut back last	
spring and are now bushy and fine.	
Per 10	
<b>Amurensis.</b> 1 to 2 ft\$0 50	
2 to 3 ft 78	
3 to 4 ft 1 00	0 8 00
<b>Ibota.</b> 1 to 2 ft	5 5 00
2 to 3 ft 1 00	0 8 00
3 to 4 ft	0 10 00
<b>Media.</b> Dwarf variety, $1\frac{1}{2}$ to $2\frac{1}{2}$ ft	0 5 00
3 to 4 ft 1 25	5 8 00
Sinensis. 3 to 4 ft	5 5 00
4 to 5 ft	0 8 00
LILAC (Syringa)—	
Alba. White. 1 to 2 ft 1 00	8 00
2 to 3 ft	10 00
Japonica (Tree Lilac). 1 to 2 ft	
Japonica (Tree Lilac).       1 to 2 ft.       1 50         2 to 3 ft.       2 00	



HYDRANGEA PANICULATA GRANDIFLORA. (See opposite page.)



PERSIAN LILAC.

LILAC (Syringa)— Per 10	100
<b>Josikea.</b> 1 to 2 ft\$1 00	\$8 00
Persian. White. 2 to 4 ft	
<b>Rothomagensis.</b> 3 to 4 ft	10 00
Rothomagensis alba. 3 to 4 ft 1 25	
4 to 5 ft	12 00
Rubra de Marly. 1 to 2 ft	8 00
2 to 3 ft	10 00
3 to 4 ft	15 00
Vulgaris. 2 to 3 ft	10 00
3 to 4 ft	15 00
Named French Sorts. 1 to 2 ft	10 00
2 to 3 ft	15 00
LONICERA (Honeysuckle)—	
Fragrantissima (Upright). 1 to 2 ft 1 00	7 00
2 to 3 ft	10 00
3 to 4 ft	15 00
4 to 5 ft	20 00
<b>Morrowii.</b> 1½ to 3 ft	10 00
3 to 5 ft	15 00
<b>Tatarica alba.</b> 1 to 2 ft	7 00
2 to 3 ft	10 00
Tatarica rubra. 1 to 2 ft	7 00
2 to 3 ft	10 00
Xylostium (English Fly). 2 to 3 ft	10 00
3 to 4 ft	15 00

MAGNOLIA	Per 10	
Purpurea. 2 to 3 ft		\$20 00
3 to 4 ft		
Glauca. 2 to 4 ft	. / 50	
Soulangeana. See Trees, page 5.		
Tripetala. See Trees, page 5.		
PÆONIA arborea (Tree Peony)	. 7 50	
PHILADELPHUS		
Aurea. 1 to 2 ft	. 1 75	15 00
Cordifolius. 2 to 3 ft	. 1 00	8 00
3 to 4 ft	. 1 25	10 00
4 to 6 ft	. 2 50	
Coronarius. 1 to 2 ft	. 1 00	7 00
2 to 2½ ft	. 1 50	
Deutzæflora plena. Dwarf. 1 to 2 ft	. 1 25	
Grandiflora. 1 to 2 ft	. 1 00	6 00
2 to 3 ft	. 1 25	10 00
3 to 4 ft	. 1 75	15 00
4 to 5 ft	. 2 50	20 00
Inodorus. 3 to 4 ft	. 1 50	12 00
4 to 5 ft	. 2 50	$20 \ 00$
Kettlerii. 1 to 2 ft	. 1 00	
2 to 3 ft	. 1 50	12 00
Nepalensis. $1 \text{ to } 1\frac{1}{2} \text{ ft.}$	. 1 00	8 00
3 to 4 ft	. 1 75	15 00
Nivalis. 2 to 3 ft	1 50	$12 \ 00$
4 to 5 ft	2 50	$20 \ 00$
Souvenir de Billardii. 1 to 2 ft	1 25	
4 to 5 ft	2 50	
PRUNUS		
Pissardii. 2 to 3 ft	. 1 25	10 00
3 to 4 ft	2 00	16 00
4 to 5 ft	3 00	20 00
Triloba. 2 to 3 ft	2 50	
RHAMNUS Catharticus (Buckthorn)—		
3 to 4 ft	. 1 00	8 00
4 to 5 ft		12 00
RHODOTYPUS Kerrioides. 1 to 2 ft		
	1 00	8 00
RHUS	=0	4.00
Cotinus (Purple Fringe). 1 to 2 ft		
2 to 3 ft		7 00
3 to 4 ft		15 00
Clabra laciniata. 2 to 3 ft	2 00	
RIBES		
Aurea (Yellow-Flowering Currant). 1 to 2 ft	1 50	
Sanguinea. 1 to 2 ft	1 50	
Gordon's. 2 to 3 ft	1 75	
ROSA		
Blanda. 3 years, transplanted	1 25	10 00
Carolina. 3 years, 2 to 3 ft		
Lucida. 3 years, strong		
Multiflora Japonica. 2 years, 2 to 4 ft	1 00	8 00
3 years, 4'to 5 ft., bushy	1 25	10 00


	er		100	)
Nitida. 3 years, strong			310	00
Rugosa. 2 years, 1 to 2 ft			10	
3 years, 3 to 4 ft	2 5	0	20	00
RUBUS odoratus (Flowering Raspberry)—				
2 to 3 ft	1 (	00	8	00
SAMBUCUS		_		
Aurea (Golden Elder). 1 to 2 ft			10	
2 to 3 ft			12	
3 to 4 ft			16	00
Laciniata. 2 to 3 ft	1 2	5		
SPIREAS-				
In variety. 2 to 3 ft., according to character				
and variety	1 0	00	8	00
In variety. 3 to 4 ft	1 2	25	10	00
Varieties.—Argentea, Arguta, Billardii, Cal-				
losa alba, Callosa rosea, Douglassi rosea, Bil-				
lardii alba, Prunifolia, Reevesii, Salicifolia alba,				
Salicifolia rosea, Tomentosa, Van Houttei.			_	
	1 0		-	00
	1 2		10	00
Anthony Waterer. 9 to 12 in., fine	1 0			
1 to 1½ ft., bushy	1 5		12	
1½ to 2 ft	1 7		15	
Callosa superba. 1 to 2 ft	1 2			00
Opulifolia. 1 to 2 ft		75		00
2 to 3 ft	1 0		-	00
3 to 4 ft,	1 2		10	
4 to 5 ft.	2 0		16	
Opulifolia aurea. 1 to 2 ft	1 0			00
2 to 3 ft	1 2		10	
3 to 5 ft	1 7		15	
5 to 6 ft	2 5		20	
	$\frac{1}{1} \frac{0}{5}$		12	00
2 to 3 ft	1 6	00	12	00
SOPHORA Japonica—				
2 to 3 ft	1 5	50	10	00
3 to 4 ft	1 7	75		
STAPHYLEA Colchica. 3 to 5 ft	1.5	50	12	00
STEPHANANDRA flexuosa—				
	1 (	00	0	00
1 to 1½ ft			10	
2 10 3 11	1 4	10	10	00
STYRAX Japonica—				
1 to 2 ft	1 2	25	10	00
2 to 3 ft			12	
3 to 4 ft	2 5	50	20	00
SYMPHORICARPUS racemosa (White Snow-				
· ·	1 2	25	10	00
3 to 4 ft			12	00
Rubra (Red Snowberry). 2 to 3 ft			10	
Variegata (Variegated-Leaved Snowberry).				
2 to 3 ft	1 2	25	10	00

TAMARIX	Pe	r 10	10	0
Africana. 2 to 3 ft	\$1	00	\$8	00
3 to 5 ft	1	50	12	00
Gallica. 3 to 5 ft	1	50	12	00
Germanica. 1 to 2 ft	1	00	8	00
3 to 4 ft	1	50	12	00
Indica. 1 to 2 ft	1	00	8	00
2 to 3 ft	1	25	10	00
3 to 5 ft	1	50	12	00
Tetandra purpurea. 3 to 4 ft	1	50	12	00
VIBURNUM				
<b>Lantana.</b> 1½ to 2 ft	1	00	8	00
2 to 3 ft	1	50	12	00
3 to 4 ft	1	75	15	00
Opulus Sterilis (Snowball). 2 to 3 ft	1	00	8	00
3 to 4 ft	1	75	15	00
Opulus (Cranberry Tree). 1 to 1½ ft	1	00	8	00
2 to 3 ft	1	25	10	00
3 to 4 ft	1	75		
5 to 6 ft	2	25		
Plicatum (Japan Snowball). 1 to 2 ft	1	25	10	00
2 to 3 ft	2	00		
3 to 4 ft	3	00		
Tomentosum. 1 to 2 ft	1	50	12	00
2 to 4 ft., large clumps	4	00		
WEIGELA. Leading varieties as named.				
1 to 2 ft	1	00	6	00
2 to 3 ft		25	8	00
3 to 4 ft		50	12	
4 to 6 ft	2	50	20	00

Varieties. — Amabilis, Candida, Desboisii, Rosea, Hortensis, Rubra Isoline, Symondsii, Variegata, Lavallei, Van Houttei, Stelznerii.



WEIGELA VARIEGATA AT GLENWOOD



CLEMATIS PANICULATA.

#### **CLIMBERS**

ACTINIDIA arguta. 1 year. \$1 00 \$8 2 years, very strong. 1 50 12 3 years, very strong. 2 00 15  AKEBIA Quinata. 2 years. 75 5 3 years. 1 00 6  AMPELOPSIS Per 10 100 1,000 Engelmannil. 1 year. \$1 00 \$6 00 2 years. 1 25 8 00 3 years. 1 25 8 00 3 years. 1 50 10 00  Variegated-Leaved (A. variegata). 2 years. 1 25 8 00 Japan (A. Veitchii). 1 year, pot grown 75 6 00 \$50 0 2 years, pot grown 75 6 00 \$50 0 2 years, pot grown 1 00 8 00 75 0 Quinquefolia (Virginia Creeper). 1 year. 75 5 00 2 years. 1 25 8 00  BIGNONIA Radicans (Trumpet Creeper). 1 year. 75 6 00 2 years. 1 00 8 00 3 years. 1 50 10 00	0
3 years, very strong. 2 00 15  AKEBIA Quinata. 2 years 75 5 3 years. 1 00 6  AMPELOPSIS Per 10 100 1,000  Engelmannil. 1 year. \$1 00 \$6 00 2 years. 1 25 8 00 3 years. 1 25 8 00 3 years. 1 50 10 00  Variegated-Leaved (A. variegata). 2 years. 1 00 6 00 3 years. 1 25 8 00  Japan (A. Veitchii). 1 year, pot grown 75 6 00 \$50 0 2 years, pot grown 1 00 8 00 75 0  Quinquefolla (Virginia Creeper). 1 year. 75 5 00 2 years. 1 00 7 00 3 years. 1 25 8 00  BIGNONIA Radicans (Trumpet Creeper). 1 year. 75 6 00 2 years. 1 00 8 00	00
AKEBIA Quinata. 2 years 75 5 3 years 1 00 6  AMPELOPSIS Per 10 100 1,000 Engelmannil. 1 year \$1 00 \$6 00 2 years 1 25 8 00 3 years 1 50 10 00  Variegated-Leaved (A. variegata). 2 years 1 00 6 00 3 years 1 25 8 00  Japan (A. Veitchii). 1 year, pot grown 75 6 00 \$50 0 2 years, pot grown 1 00 8 00 75 0  Quinquefolla (Virginia Creeper). 1 year 75 5 00 2 years 1 00 7 00 3 years 1 25 8 00  BIGNONIA Radicans (Trumpet Creeper). 1 year 75 6 00 2 years 1 00 8 00	00
3 years. 1 00 6  AMPELOPSIS Per 10 100 1,000  Engelmannil. 1 year. \$1 00 \$6 00 2 years. 1 25 8 00 3 years. 1 50 10 00  Variegated-Leaved (A. variegata). 2 years. 1 00 6 00 3 years. 1 25 8 00  Japan (A. Veitchii). 1 year, pot grown 75 6 00 \$50 0 2 years, pot grown 1 00 8 00 75 0  Quinquefolia (Virginia Creeper). 1 year. 75 5 00 2 years. 1 00 7 00 3 years. 1 25 8 00  BIGNONIA Radicans (Trumpet Creeper). 1 year. 75 6 00 2 years. 1 00 8 00	00
AMPELOPSIS       Per 10       100       1,000         Engelmannil.       1 year       \$1 00       \$6 00       2 years       1 25       8 00       3 years       1 50       10 00       Variegated-Leaved (A. variegata).       2 years       1 00       6 00       3 years       1 25       8 00         Japan (A. Veitchii).       1 year, pot grown       75       6 00       \$50       2 years, pot grown       1 00       8 00       75       6       00       \$50       2 years       1 00       7 00       3 years       1 25       8 00         BIGNONIA       Radicans (Trumpet Creeper).       1 year       75       6 00       2 years       1 00       8 00	00
Engelmannii. 1 year	00
Engelmannii. 1 year	)
2 years. 1 25 8 00 3 years. 1 50 10 00  Variegated-Leaved (A. variegata). 2 years. 1 00 6 00 3 years. 1 25 8 00  Japan (A. Veitchii). 1 year, pot grown 75 6 00 \$50 2 years, pot grown 1 00 8 00 75  Quinquefolia (Virginia Creeper). 1 year. 75 5 00 2 years. 1 00 7 00 3 years. 1 25 8 00  BIGNONIA  Radicans (Trumpet Creeper). 1 year. 75 6 00 2 years. 1 00 8 00	,
3 years. 1 50 10 00  Variegated-Leaved (A. variegata). 2 years. 1 00 6 00 3 years. 1 25 8 00  Japan (A. Veitchii). 1 year, pot grown 75 6 00 \$50 2 years, pot grown 1 00 8 00 75  Quinquefolia (Virginia Creeper). 1 year. 75 5 00 2 years. 1 00 7 00 3 years. 1 25 8 00  BIGNONIA  Radicans (Trumpet Creeper). 1 year. 75 6 00 2 years. 1 00 8 00	
Variegated-Leaved (A. variegata).       2 years.       1 00 6 00         3 years.       1 25 8 00         Japan (A. Veitchii).       1 year, pot grown       75 6 00 \$50         2 years, pot grown       1 00 8 00 75         Quinquefolla (Virginia Creeper).       75 5 00         2 years.       1 00 7 00         3 years.       1 25 8 00         BIGNONIA         Radicans (Trumpet Creeper).         1 year.       75 6 00         2 years.       1 00 8 00	
2 years. 1 00 6 00 3 years. 1 25 8 00  Japan (A. Veitchii). 1 year, pot grown 75 6 00 \$50 2 years, pot grown 1 00 8 00 75  Quinquefolia (Virginia Creeper). 1 year. 75 5 00 2 years. 1 00 7 00 3 years. 1 25 8 00  BIGNONIA  Radicans (Trumpet Creeper). 1 year. 75 6 00 2 years. 1 00 8 00	
3 years. 1 25 8 00  Japan (A. Veitchii).  1 year, pot grown 75 6 00 \$50 2 years, pot grown 1 00 8 00 75  Quinquefolia (Virginia Creeper). 1 year. 75 5 00 2 years. 1 00 7 00 3 years. 1 25 8 00  BIGNONIA  Radicans (Trumpet Creeper). 1 year. 75 6 00 2 years. 1 00 8 00	
Japan (A. Veitchii).       1 year, pot grown       75       6 00       \$50         2 years, pot grown       1 00       8 00       75         Quinquefolia (Virginia Creeper).       75       5 00         2 years       1 00       7 00         3 years       1 25       8 00         BIGNONIA         Radicans (Trumpet Creeper).       75       6 00         2 years       1 00       8 00	
1 year, pot grown	
Quinquefolla (Virginia Creeper).         1 year	00
1 year. 75 5 00 2 years. 1 00 7 00 3 years. 1 25 8 00  BIGNONIA Radicans (Trumpet Creeper). 1 year. 75 6 00 2 years. 1 00 8 00	00
2 years. 1 00 7 00 3 years. 1 25 8 00  BIGNONIA  Radicans (Trumpet Creeper). 1 year. 75 6 00 2 years. 1 00 8 00	
3 years	
BIGNONIA         Radicans (Trumpet Creeper).         1 year.       75       6 00         2 years.       1 00       8 00	
Radicans (Trumpet Creeper).       75       6 00         2 years	
1 year	
2 years 1 00 8 00	
2 voors 1 50 10 00	
5 years 1 50 10 00	
<b>Grandiflora.</b> 2 years	
CINNAMON VINE 50 4 00	
CLEMATIS —	
Best Large-Flowering Sorts 4 00 30 00	
Varieties.—Baron Veillard, Duchess of Edinburgh, General Grant, Gypsy Queen, Henryii, Jackmanni, Miss Bate- man, Ramona, Rubra Grandiflora.	

CLEMATIS paniculata— Per 10	100	1,000
From 3-in. pots\$0 75	\$5 00	\$35 00
From 4-in. pots 1 00	6 00	50 00
2 years, from open ground 1 25	7 00	60 00
3 years, strong, from open ground. 1 50	9 00	75 00
b jours, strong, from open ground. I co	• • • • • • • • • • • • • • • • • • • •	10 00
CELASTRUS scandens. 2 years 1 00	8 00	
HONEYSUCKLE (Lonicera)—		
Brachypoda. Strong 1 00	6 00	50 00
Golden-Leaved ( $L$ . $aurea\ reticulata$ ).		
1 year 1 00	6 00	
2 years 1 00	8 00	
Evergreen (L. sinensis). 1 year 75	6 00	
2 years 1 00	7 00	
Halleanna. 1 year, strong	5 00	
3 years, very strong 1 00	7 00	
Scarlet Trumpet. 1 year 1 75	12 00	
2 years	15 00	
·	10 00	
IVY—		
Irish. From 4-inch pots 2 00	$12 \ 00$	
2 years 1 25	9 00	75 00
English. From 4-inch pots 2 00	12 00	
JASMINUM		
	7.00	
Nudiflorum. 1 to 2 ft	7 00	
2 to 3 ft	10 00	
<b>Officinalis.</b> 1 to 1½ ft 1 00	8 00	
LYCIUM Chinense (Matrimony Vine).		
$1\frac{1}{2}$ to 2 ft	6 00	
PERIPLOCA Græca (Silk Vine)-		
3 years 1 25	10 00	
ROSES—		
Baltimore Belle. 1 year	10 00	
· · · · · · · · · · · · · · · · · · ·	8 00	
2 years	10 00	
	10.00	
from open ground	10 00	
Manda's Triumph. 2 years	8 00	
Pink Roamer. 2 to 3 years	8 00	
Setigera. 2 years	10 00	
South Orange Perfection. 2 and 3 yrs. 1 00	8 00	
Universal Favorite. 2 and 3 years 1 00	8 00	~
Wichuraiana. 1 year 75	6 00	50 00
2 and 3 years 1 00	7 00	60 00
WISTARIA	Per 10	100
Magnifica. 2 and 3 years, strong	\$2 00	\$15 00
Sinensis. 2 years, strong	2 50	20 00
3 years, 2 to 3 ft	3 00	25 00
Sinensis alba. 1 year, grafts, 6 to 12 in		12 00
2 years, strong		20 00
3 years, 2 to 3 ft		25 00
Frutescens. 3 years, transplanted		15 00
Multijuga. 2 years, grafts, strong		20 00
3 years, 2 to 3 ft		25 00



EULALIA STRIATA.

## EULALIAS, PAMPAS GRASSES, ETC.

Per 10	100	1,000
ARUNDA Donax variegata\$3 50	\$25 00	
EULALIA-		
Variegated Striata. Divided clumps. 75	4 00	30 00
Gracillima. Divided clumps 1 00	8 00	60 00
PAMPAS GRASS. Strong clumps 2 50	20 00	
HIBISCUS		
Crimson Eye (Marshmallow). Strong,		
transplanted plants	10 00	
VINCAS		
Minor. 2 years, strong 50	3 00	20 00
IRIŚ		
German, named varieties	5 00	
ment	8 00	

# Fruit Department

NOTE.—In filling orders at the prices annexed, we will consult the wishes of customers as far as practicable in the selection of varieties.

Per 10 100

PEARS-

PEARS— Per 10	100
Standard, leading popular varieties, assorted.	
5/8 to 3/4 in. in diameter, 5 to 6 ft\$2 50	\$20 00
$\frac{3}{4}$ to $\frac{7}{8}$ in. in diameter, 5 to 7 ft 3 00	25 00
Dwarf, leading popular varieties, 2 and 3 years.	
	15 00
3½ to 5 ft	15 00
CHERRIES-	
Hearts and Bigarreaus, leading varieties, 2	
vears, 5 to 7 ft	35 00
Dukes and Morellos, standard	00 00
	05 00
$4\frac{1}{2}$ to 6 ft., 2 years	35 00
APRICOTS and NECTARINES—	
Leading varieties	20 00
Russian, in variety. 4 to 5 ft	20 00
<b>PEACHES.</b> First-class, 4 to 6 ft	8 00
PLUMS. On plum stock, 4 to 6 ft 3 00	25 00
QUINCES-	
Orange. 2 to 3 ft	12 00
3 to 4 ft., extra	20 00
Champion. 2 years, very fine, branched,	20 00
	20.00
3½ to 4 ft	20 00
Meech's Prolific. 2 years, first class, 3 to 4 ft. 2.50	20 00
MULBERRY-	
Downing. 3 to 4 ft	10 00
4 to 6 ft	15 00
	10 00
6 to 7 ft	
New American. 4 to 6 ft	
CHESTNUTS- Per 10 100	1,000
American. 1 to 2 ft., 2 years\$1 00 \$5 00	40 00
2 to 3 ft., 2 years	75 60
3 to 4 ft	10 00
Numbo. Grafted, 2 to 4 ft	
Japan. Grafted, 3 to 4 ft	
4 to 6 ft	
Paragon. 3 to 4 ft., grafted 00 80 00	
Dwarf (Chinquapin). 2 to 3 ft 2 50	
Per 10	100
FILBERTS, English. 4 to 5 ft	\$15 00
5 to 6 ft., bushy	20 00
6 to 8 ft., bushy 4 00	
HICKORY, Shellbark. 2 to 3 ft	35 00
WALNUTS-	00 00
Black. 4 to 6 ft	
White. 6 to 8 ft	
English. 1 to 2 ft	8 00
2 to 3 ft	12 00

#### **GRAPE-VINES**

Our vines are strong, well rooted and fine, and give excellent satisfaction. Special quotations on assorted lists of several varieties, twenty-five or more of a kind, or by the thousand. All 2 years No. 1.

All 2 years No. 1.	oj the th	ouownu.
	Per 10	100
Agawam, Clinton	\$1 00	\$6 00
Brighton		10 00
Champion, Catawba		6 00
Concord	1 00	6 00
Diana, Delaware		10 00
Duchess		12 00
Empire State, Wyoming Red		10 00
Hartford Prolific, Iona	1 00	8 00
Isabella, Salem, Martha		8 00
Jefferson		14 00
Lady		10 00
Lady Washington		25 00
Moore's Diamond, Moore's Early		10 00
Niagara, Pocklington		8 00
Telegraph, Vergennes		10 00
Wilder, Worden		8 00
Timeon, Hordon IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	1 20	0 00
SMALL FRUITS		
RASPBERRIES—	D 10	700
Golden Queen	Per 10	100
Cuthbert and Souhegan		\$3 50 3 00
		3 00
Gregg		3 00
Japan Wineberry	50	5 00
BLACKBERRIES-		
Erie	75	3 00
Kittatinny	75	3 00
Rathbun	1 00	5 00
Snyder	75	3 00
Wilson's Early	75	3 00
Wilson's Junior	75	3 00
All strong, root-cutting plants		
DEWBERRY, Lucretia	75	
	10	
GOOSEBERRIES —	1 00	4.00
Houghton. 2 years		4 00
Downing's. 2 years, very fine		4 00
Industry. 2 and 3 years, strong		12 00
Josselyn	2 00	12 00
CURRANTS— Per 1	0 100	1,000
Cherry, La Versailles, White Grape,		
Victoria, and Red Dutch. 2		
years, first-class\$0 78	\$4 00	\$35 00
Blacks Naples 75		35 00
Lee's Prolific 1 00	5 00	40 00
Fay's Prolific. 1 year 50		30 00
0 1 00	= 00	40 00

2 years, extra fine...... 1 00 5 00

40 00


### ASPARACUS (all strong, fine, 2-year roots,

ter strong, may 2 year 1000	,			
except noted)—	Per	100	1,0	00
Barr's Mammoth	.\$0	75	\$3	00
Conover's Colossal		75	3	00
Golumbian White	. 1	00	3	50
Donald's Elmira	. 1	00	3	50
Palmetto. 1 year, strong		75	3	00
RHUBARB, Myatt's Linnæus	. 6	00	45	00



IRIS KÆMPFERI. (See page 28.)

## LOCATION OF GLENWOOD NURSERIES



### The Glenwood Nurseries

are at Morrisville, Pennsylvania, opposite Trenton, N. J., 60 miles from New York, 30 miles from Philadelphia.

Trenton, Morrisville and Yardley trolley cars pass Nursery every hour each way, leaving Yardley on the hour and Calhoun Street Bridge, Trenton, 30 minutes after the hour.